Listing of the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

1-44. (Canceled)

- 45. (New) A method of constructing a replication-incompetent recombinant retrovirus, comprising:
 - (a) providing a first nucleic acid molecule lacking retroviral sequences which produce retroviral gene products and which comprises a 5'-long terminal repeat, a 3'-long terminal repeat, a packaging signal, and at least a first and a second recombination site that do not recombine with each other;
 - (b) contacting the first nucleic acid molecule with a second nucleic acid molecule comprising a sequence of interest flanked by at least a third and a fourth recombination site under conditions such that recombination occurs between the first and third recombination site and between the second and fourth recombination site; and
 - (c) introducing the nucleic acid molecule generated in step (b), with at least three additional nucleic acid molecules which encode retroviral proteins, into a cell that packages the nucleic acid molecule generated in step (b).
- 46. (New) The method of claim 45, wherein the at least three additional nucleic acid molecules lack a 5'-long terminal repeat, a 3'-long terminal repeat and a packaging signal.
- 47. (New) The method of claim 45, wherein the nucleic acid molecule of step (b), the at least three additional nucleic acid molecules lack sufficient homology to undergo homologous recombination with each other or the first and second nucleic acid molecules.
- 48. (New) The method of claim 46, wherein one of the at least three additional nucleic acid molecules comprises a retroviral gag gene and a retroviral pol gene.

- 49. (New) The method of claim 46, wherein one of the at least three additional nucleic acid molecules comprises a retroviral rev gene.
- 50. (New) The method of claim 46, wherein one of the at least three additional nucleic acid molecules comprises a retroviral envelope gene.
 - 51. (New) he method of claim 50, wherein the retroviral envelope gene is a VSV-G gene.
- 52. (New) The method of claim 45, wherein the first nucleic acid molecule is a plasmid or a bacmid comprising an origin of replication and a selectable marker.
- 53. (New) The method of claim 45, wherein the portion of the second nucleic acid between the recombination sites comprises a nucleotide sequence of interest.
- 54. (New) The method of claim 53, wherein the sequence of interest comprises one or more sequences selected from a group consisting of, a sequence encoding one or more polypeptides, a sequence encoding one or more tRNA sequences, a sequence encoding one or more ribozyme sequences, one or more promoter sequences, one or more enhancer sequences, and one or more repressor sequences.
- 55. (New) The method of claim 45, further comprising digesting the first nucleic acid molecule with a restriction enzyme that cleaves the first nucleic acid at a site between the recombination sites.
- 56. (New) The method of claim 45, wherein the first and second recombination sites are attL sites and wherein the third and fourth recombination sites are attR sites such that when the first nucleic acid molecule is contacted with the second nucleic acid molecule the first attL recombination site recombines with the third attR recombination site and the second attL recombination site recombines with the fourth attR recombination site.